


KEVIS

High Speed Dome PTZ Solution



- 25년 역사 CCTV 메커니즘 전문 개발 / 생산 업체
 - 고성능, 고품질 고속 PTZ Dome 솔루션 공급
 - 국내 최고 수준의 Preset 위치 정밀도 ($\pm 0.05^\circ$)
 - 누적 통계로 검증된 높은 내구성, 낮은 불량률
 - IP66 수준의 방수 / 방습 기능
 - Assy별 모듈화 공급 (SDK 지원)
 - 생산지도 및 인증 지원 (KC / FCC / CE / TTA / IP66 / IK10 등등)
 - 빠른 납기와 안정된 공급
 - 유연한 Customizing 지원 (OEM / ODM)
 - 다양한 옵션 선택 가능 (카메라 / IP Solution / IR LED / Wiper)
-
- 25 years history CCTV mechanism professional development / production company
 - Supply of high-performance, high-quality, high-speed PTZ dome solutions
 - The highest level of preset position accuracy in Korea ($\pm 0.05^\circ$)
 - High durability and low defect rate verified by cumulative statistics
 - IP66 level waterproof/moisture proof function
 - Modular supply by Assy (SDK support)
 - Production guidance and certification support (KC / FCC / CE / TTA / IP66 / IK10, etc.)
 - Fast delivery and stable supply
 - Flexible customizing support (OEM / ODM)
 - Various options can be selected (Camera / IP Solution / IR LED / Wiper)

제품 구성 (Product composition)



**최고의 내구성 / 최고의 정밀도
자체 개발 자체 금형 MADE IN KOREA**



인체 / 차량 인식



좌표연동 OSD



OBJECT AUTO TRACKING

다양한 조합 (Various combinations)



· 원형 프론트

KSD-2000
10 LED (15watts / 200M)



· 와이파 장착 형

KSD-2200W
10 LED (15watts / 200M)



· IR LED형

KSD-3000
10 LED (15watts / 200M)



· 원형 프론트

KSD-2000-BK (Black)
10 LED (15watts / 200M)



· 와이파 장착 형

KSD-2200W-BK (Black)
10 LED (15watts / 200M)



· 레이저 LED

KSD-2300
Sycro zoom Laser LED (250M)



· 저조도 IR 파손방지

KSD-4000 Laser LED (500M)
Night Vision [Up to 600M]



· 벽부형 브라켓

Wall mount Bracket



· 천장형 브라켓

Pendant mount Bracket



· 폴마운트 / 코너 마운트

Pole / Corner mount Adaptor



· 벽부 고정 마운트 브라켓

Wall ceiling mount Bracket



· CCTV 정션박스

CCTV JUNCTION BOX



· Option Zoom Camera Modules

X30, X33, X36, X42 1/1.8" , 1/2.7" Sensors



· IP Solutions

Amballera / Novatech / Eynex / Mstar

제품 사양 (Specifications)

Camera & PTZ	MS368	MS369	M8242
Sensor	1/1.8" 2MP Sony STARVIS	1/1.8" 6MP Sony STARVIS	1/2.8" 2MP Sony STARVIS
Zoom Ratio	Optical X 36 (D 32)	Optical X 40	Optical X 42
Min.illumination	0.001lux@ (F.15, AGC ON) Color, 0.0001lux@ (F1.5, AGC ON) B/W		
Function	Defog, Privacy Mask, Anti Flicker, Corridor, WDR, 3D DNR		
Aperture Value	F1.5 ~ F4.8		
Scanning	Progressive scanning		

Mechanical Hardware	2000 series	2200 series	2300 series
Housing	All Aluminum Die casting material with powder coated		
PAN / TILT	1.1Nm 200 STEP MOTOR PAN 360° endless 300°/sec, Tilt -10° ~ +90° 120°/sec 255 Preset, 8 Group, 8 Tour Auto Parking, Smart OSD, Auto Tracking		
Color	White / Black	White / Black	White / Black
Wiper	N/A	Option	Built in
LED	10 LED / 15 Watts	10 LED / 15 Watts	5 Watts / Sycro zoom 300M

Network	FA3T	CX 30
Security	IP Filtering HTTPS, Encrypted & basic Authentication, White list	SHA-224 / 256 AES-128/256 with ECB/CBC mode
Protocol	HTTP, RTP/RTSP, TCP/IP, UDP,FTP, Telnet, HTTPD, RARP,SNMP,DFCP,NTP,SMTP Client, uPnP&etc	

Video streaming	FA3T	CX 30
System	Amballera 32bit em linux	EN675 64bit RISC-V Quad core
Compression	H.265, H.264, M-JPEG, JPEG	H.265, H.264, M-JPEG, JPEG
Resolution	1920x1080, 1280x720, 704, 480, 640x352	1920x1080, 1280x720, 704, 480, 640x352
Max. Frame rate	30fps/25fps@2MP (FHD)	30fps/25fps@2MP (FHD)
Streaming	Max 4 streaming same time	Max 4 streaming same time

System	FA3T	CX 30
Programing Interface	SDK, OnVif Profile S	
A.I function	Auto tracking , Humanoid detection. Motion detection	
Event Alarm	Pre/Post Alarm, FTP Up load, Email notice, FCM	
SD Card / Recording	1 Micro SD Card / Always, Event. Schedule	
Audio	8Bit G.711, 8Khz, 8KByte/sec 2 way streaming	

※ Design and Specification can be different between latest production, Please contact our sales for update.

· IP66 (Ingress Protection, 국제 방진/방수 규격)은 제품이 출하조건으로 정확히 설치 및 조립 되었을 때 적용됩니다.

제품문의

케비스전자(주)

Homepage : www.kevis.co.kr / e-mail : gscho@kevis.co.kr

경기도 군포시 고산로 148번길 17 (당정동, 군포 아이티밸리 B동 1307호) 우편번호 15850

● TEL. +82-31-427-9801 FAX. +82-31-427-9806

● OVERSEA OFFICE | Kevis USA (Tap Electronics DBA KEVIS USA) / Kevis China (Ningbo Kevis Inc.)

● 디자인과 사양은 품질향상을 위해 사전예고 없이 변경될 수 있으니 구매전 당사 영업부로 문의 바랍니다.



www.kevis.co.kr

POSITIONING / PANTILT / IR PTZ / HOUSING / CAMERA / BRACKET / RACK / OTHERS / ODM

